U. S. Geological Survey Streamgaging Program


Athena P. Clark, P.E., Deputy Director

Hydrologic Data Programs

Lower Mississippi – Gulf Water Science Center

How Streamflow is Measured

Part 1 – Measuring stream stage







Figure 2. Diagram of a typical streamgage installation with equipment used to measure stream stage (by L.S. Coplin, U.S. Geological Survey).

How Streamflow is Measured


Part 2 – Discharge Measurement



Current-meter discharge measurements are made by determining the discharge in each subsection of a channel cross section and summing the subsection discharges to obtain a total discharge.

How Streamflow is Measured

Part 3 – Stage-discharge relation



Example of a typical stage-discharge relation; here, the discharge of the river is 40 cubic feet per second (ft³/s) when the stage is 3.30 feet (ft). The dots on the curve represent concurrent measurement of stage and discharge.

USGS 02420490 AUTAUGA CREEK NEAR PRATTVILLE








Figure 7. Streamflow information from the river to the user passes through numerous satellite and computer systems during a 10-minute period.

http://al.water.usgs.gov/







National Water Information System: Web Interface

USGS Water Resources (District Access)

Data Category: Current Conditions >

Click to hide News Bulletins

- Try our new Mobile-friendly water data site from your mobile device!
- Full News

Click to hide state-specific text

PLEASE NOTE:

We are experiencing processing problems which are resulting in random and isolated erroneous data being displayed on our web page.


We are currently working to resolve this problem.

We apologize for any inconvenience.

Current Conditions for Alabama: Streamflow -- 182 site(s) found

PROVISIONAL DATA SUBJECT TO REVISION

Predef	ined displays Group table by	Select sites by number or name					
Alabama S	treamflow Table no grouping		go show sites on a	a map			
	Major River Basin County Hydrologic Unit	Custom	ize table to display	other cu	rrent-co		rameters
Station	<u>.,,</u>			Gage height,	Dis- charge,	Long- term median flow	
Number	Station na	me	Date/Time	feet	ft3/s	10/10	
Alabama	1						
02339495	OSELIGEE CREEK NEAR LANETT AL		10/10 12:45 CDT	2.60	10	1.20	
02342500	UCHEE CREEK NEAR FORT MITCHEL	L, AL.	10/10 13:00 CDT	0.45	13	52.0	
0234296910	CHATTAHOOCHEE RIVER AT COAST	GUARD DOCK AT EUFAULA	10/10 12:00 CDT	187.62			
023432415	CHATTAHOOCHEE R .36 MI DS WFG	DAM NR FT GAINES, GA	10/10 14:30 EDT	103.09	682	4,940	
02361000	CHOCTAWHATCHEE RIVER NEAR NE	WTON, AL.	10/10 13:00 CDT	3.72	189	281	
02361500	CHOCTAWHATCHEE RIVER NEAR BE	LLWOOD AL	10/10 12:45 CDT	4.15	576	612	
02362000	CHOCTAWHATCHEE RIVER NEAR GE	NEVA, ALABAMA	10/10 12:00 CDT	3.38			



Data C

Click to hide News Bulletins

- Try our new Mobile-friendly water data site from your mobile device!
- Full News

Click to hide state-specific text

PLEASE NOTE

Calhoun County

We are experiencing processing problems which are resulting in random and isolated erroneous data being displayed on our web page.

We are currently working to resolve this problem.

We apologize for any inconvenience.


Current Conditions for Alabama: Streamflow -- 182 site(s) found


PROVISIONAL DATA SUBJECT TO REVISION

--- Predefined displays --- Group table by Select sites by number or name
Alabama Streamflow Table V County Q go show sites on a map

Customize table to display other current-condition parameters

			_		Long- term
Station Number	Station name	Date/Time		Dis- charge, ft3/s	median
Autauga C	County				
	AUTAUGA CREEK NEAR PRATTVILLE, ALA	10/10 13:15 CDT			
	ALABAMA RIVER AT JONES BLUFF, AL	10/10 13:00 CDT	125.18		
Baldwin C	ounty				
02376500	PERDIDO RIVER AT BARRINEAU PARK, FL	10/10 12:00 CDT	1.43	246	379
02377560	STYX R NR LOXLEY, AT SMITHS SIDING, ALA	10/10 13:15 CDT	3.53		
02377570	STYX RIVER NEAR ELSANOR, AL.	10/10 13:00 CDT	1.67	178	166
02377750	STYX RIVER AT SEMINOLE, ALA	10/10 12:30 CDT	8.79		
02378170	WOLF CREEK BELOW FOLEY, ALA	10/10 13:30 CDT	7.07	8.1	6.20
02378300	MAGNOLIA RIVER AT US 98 NEAR FOLEY, ALABAMA	10/10 13:30 CDT	3.25	23	20.0
02378500	FISH RIVER NEAR SILVER HILL AL	10/10 13:30 CDT	1.48	72	78.0
Barbour C	ounty				
0234296910	CHATTAHOOCHEE RIVER AT COAST GUARD DOCK AT EUFAULA	10/10 12:00 CDT	187.62		
Bibb Coun	ity				
02424000	CAHABA RIVER AT CENTREVILLE AL	10/10 13:00 CDT	0.76	216	305
Blount Co	unty				
02449882	BLUE SPRINGS CREEK NEAR BLOUNTSVILLE, AL.	10/10 13:15 CDT	1.33	0.47	1.70
02450000	MULBERRY FORK NEAR GARDEN CITY, AL.	10/10 13:15 CDT	2.83	23	37.0
02455000	LOCUST FORK NEAR CLEVELAND, AL.	10/10 13:15 CDT	1.07	14	32.0
02455185	BLACKBURN FORK LITTLE WARRIOR R NR HOLLY SPRINGS	10/10 13:15 CDT	0.66	1.3	6.60








THIS STATION IS OPERATED IN COOPERATION WITH THE U.S. ARMY CORPS OF ENGINEERS/


U.S.Army Corps of Engineers

This station managed by the Montgomery Field Office.



This station managed by the Montgomery Field Office.


▼ Page ▼ Safety ▼ Tools ▼ ② ▼



Summary of all available data for this site Instantaneous-data availability statement

Discharge, cubic feet per second


Most recent instantaneous value: 380 10-14-2014 07:00 CDT



Add up to 2 more sites and replot for "Discharge, cubic feet per second"



Create presentation-quality / stand-alone graph. Subscribe to WaterAlert P00060 DD01 A(0)



File Edit View Favorites Tools Help

Snagit 🖺 🖆

Daily discharge, cubic feet per second -- statistics for Oct 14 based on 57 years of record more

Min (1955)	25th percen- tile	Median	75th percen- tile		Most Recent Instantaneous Value Oct 14	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
0.00	1.1	5.4	20	33	380	695

Gage height, feet

Most recent instantaneous value: 3.90 10-14-2014 07:00 CDT



Add up to 2 more sites and replot for "Gage height, feet"



Questions about sites/data? Feedback on this web site Automated retrievals


Help


Accessibility


Privacy


Share this graph | f
 □ □ □


Plug-Ins











USGS

USGS

USGS

USGS

mece

02421000

02421000

02421000

02421000

02421000

2014-10-03 17:30

2014-10-03 18:00

2014-10-03 19:00

2014 10 02 10:20

2014-10-03 18:30

CDT 1.94

CDT 1.94

CDT 1.92

CDT 1 01









Alabama Water Science Center

◆ Information/Data ◆ Projects ◆ Publications ◆ Drought ◆ Flood ♦ NAWQA
♦ T-LiDAR
♦ Contact Internal



Search the Alabama WSC:

Google" Custom Search

DATA CENTER

USGS Real-Time Data

- Streamflow
- Ground water
- Water quality
- Precipitation
- Lake/Reservoirs

WaterWatch

- Floods | Droughts
- Current conditions
- Water-Quality Watch

Ground-Water Networks

- Real-time data
- Active ground-water levels
- Climate Response Network

USGS WaterNow

USGS WaterAlert

National Water Information System Mapper

USGS Flood Inundation Mapper


Provisional Alabama Storm Tide Data

USGS Historical Data

Annual Data Reports

Water Resources of Alabama

Welcome to the new website for USGS Alabama Water Science Center!



USGS Alabama Highlights

Current streamflow conditions

USGS StreamStats



StreamStats is a Web-based tool that provides streamflow statistics, drainage-basin characteristics, and other information for USGS streamgaging stations and for user-selected ungaged sites on streams. When users select the location of a streamgaging station, StreamStats provides previously published information from a database. When users select a site on an ungaged stream, StreamStats will determine the drainage-basin boundary for the site, compute a variety of drainage-basin characteristics, and solve

Featured Project

U.S. Geological Survey Flood Inundation Mapping Science

Static flood-inundation map libraries consist of maps that have been created in advance of a flood that are ready to be served through the Internet. Each library consists of a set of flood extent and depth maps developed for predetermined stream stage intervals (for example, a map for each one foot of stage). A user can view real-time or forecast stage data from a USGS streamgage or National Weather







WaterWatch

Home

Current Streamflow

Flood

Drought

Past Flow/Runoff

Animation

Toolkit

Toolkit (internal)

Annual Summaries

Additional Information

About WaterWatch

▼ 🖪 🖷 ▼ Page ▼ Safety ▼ Tools ▼ 🕡 ▼



<u>File Edit View Favorites Tools Help</u>

× 🖳 Snagit 🗒 🖆

▼ 🔊 ▼ 📑 🖶 ▼



About WaterWatch

A percentile is a value on a scale of one hundred that indicates the percent

percentile - Windows Internet Explorer

of a distribution that is equal to or below it. For example, on the map of daily streamflow conditions a river discharge at the 90th percentile is equal to or greater than 90 percent of the discharge values recorded on this day of the year during all years that measurements have been made. In general,

- A streamflow which is greater than the 75th percetile is considered above normal
- A streamflow which is between 25th and 75th percentiles is considered normal
- A streamflow which is less than the 25 percentile is considered below normal


In some hydrological studies, particularly those related to floods, a variation of the percentile known as the "percent exceedance" is used. It is simply obtained by subtracting the percentile scale value from 100 percent. For example, a discharge at the 75th percentile is the same as a discharge at the 25th percent exceedance (100-75=25).

The flow category "Low" indicates that the estimated streamflow is the lowest value ever measured for the day of the year. Similarly, the flow category "High" indicates that the estimated streamflow is the highest value ever measured for the day of the year.

"Not ranked" indicates that a flow category has not been computed.

Common reasons for a "Not ranked" category are insufficient historical data or no current streamflow estimates.

Close





USGS

Choose a data retrieval option and select a location on the map


○ List of all stations ● Single station ○ Nearest stations ○ Peak flow

		Explan	ation - F	Percent	ile classe	s	
•	•	0	•		•	•	0
Low	<10	10-24	25-75	76-90	>90		Net contrad
LOW	Much below normal	Below normal	Normal	Above normal	Much above normal	High	Not-ranked








■USGS





		Explan	ation - F	Percent	ile classe	S	
•	•	0	•	•	•	•	0
Low	<10	10-24	25-75	76-90	>90		Not-ranked
LOW	Much below normal	Below normal	Normal	Above normal	Much above normal	High	Not-ranked

















WaterWatch

▼ 🖪 🖷 ▼ Page ▼ Safety ▼ Tools ▼ 🕡 ▼








P → C USGS WaterWat... ×

File Edit View Favorites Tools Help








WaterWatch

lome	Мар
	Location above Flood Stage
Current Streamflow	Web Map
lood	Flood Table Builder
Orought	Flood-Tracking Chart
Past Flow/Runoff	Cumulative Streamflow Hydrograph
Animation	
Foolkit	
Foolkit (internal)	
Annual Summaries	
Additional Information	ie - E
About WaterWatch	



http://waterwatch.usgs.gov/index.php?id=ww_flood

<u>File Edit View Favorites Tools H</u>elp

× 🖳 Snagit 🗏 🖆

🕯 ▼ 🔝 ▼ 🖃 🖷 ▼ Page ▼ Safety ▼ Tools ▼ 🕡 ▼

Science for a changing world

State Drought Information

Water V 7-day Below Normal Streamflow

Home

14-day Below Normal Streamflow

28-day Below Normal Streamflow

Current Streamflow Monthly Below Normal

Flood

Site Duration Hydrograph

Drought (streamflow)

Past Flow/Runoff State Duration Hydrograph

(runoff)

Animation Cumulative Streamflow

Hydrograph

Toolkit Drought Table


Toolkit (internal)

Map Comparison


Annual Summaries Record Low Flow Map

Additional Information

About WaterWatch



State





Choose a data retrieval option and select a state on the map


O State DroughtWatch, State map

http://waterwatch.usgs.gov/index.php?id=ww_drought

















WaterWatch







Drought

Animation

Toolkit

Past Flow/Runoff

Toolkit (internal)

Annual Summaries

Additional Information

About WaterWatch

Table of **computed runoff** by water-year for Alabama

Alabama

Region	Year	Runoff (mm)	Runoff (in)	Rank	Percentile
AL	1901	654.61	25.77	26	77.19
AL	1902	595.34	23.44	45	60.53
AL	1903	665.04	26.18	23	79.82
AL	1904	234.53	9.23	113	0.88
AL	1905	414.57	16.32	87	23.68
AL	1906	552.45	21.75	55	51.75
AL	1907	557.45	21.95	53	53.51
AL	1908	577.65	22.74	50	56.14
AL	1909	655.24	25.80	25	78.07
AL	1910	358.60	14.12	99	13.16
AL	1911	337.18	13.27	102	10.53
AL	1912	752.81	29.64	10	91.23
AL	1913	596.21	23.47	43	62.28
AL	1914	278.98	10.98	110	3.51
AL	1915	472.31	18.59	75	34.21
AL	1916	650.12	25.60	28	75.44
AL	1917	635.99	25.04	33	71.05

Table of computed runoff by water-year for Alabama (Download version)

Runoff

(mm)

654.61

595.34

665.04

234.53

414.57

552.45

557.45

577.65

655.24

358.60

337.18

752.81

596.21

278.98

472.31

650.12

635.99

391.15

706.00

892.67

550.47

689.76

619.80

529.37

Year

1901

1902

1903

1904

1905

1906

1907

1908

1909

1910

1911

1912

1913

1914

1915

1916

1917

1918

1919

1920

1921

1922

1923

1924

Region

ΑL

AL

ΑL

ΑL

ΑL

Alabama

Runoff

(in)

25.77

23.44

26.18

9.23

16.32

21.75

21.95

22.74

25.80

14.12

13.27

29.64

23.47

10.98

18.59

25.60

25.04

15.40

27.80

35.14

21.67

27.16

24.40

20.84

Rank

26

45

23

113

87

55

53

50

25

99

102

10

43

110

75

28

33

92

18

1

56

19

36

60

Percentile

77.19

60.53

79.82

0.88

23.68

51.75

53.51

56.14

78.07

13.16

10.53

91.23

62.28

3.51

34.21

75.44

71.05

19.30

84.21

99.12

50.88

83.33

68.42

47.37

AL 1919 AL 1920 1921

AL

ΑL

ΑL

AL

ΑL

1918

1922

1923

1924

1925

1926

1927

1928

1929

1930

1931

1932

1933

1934

1935

1936

1937

1938

1939

1940

1941

1942

1943

1944

1945

1946

391.15

706.00

892.67

550.47

689.76

619.80

529.37

363.58

438.68

499.98

580.06

683.29

563.24

323.75

529.87

728.52

325.36

492.52

607.91

579.30

528.32

557.13

459.49

307.76

411.75

505.64

604.12

454.41

750.06

15.40

27.80

35.14

21.67

27.16

24.40

20.84

14.31

17.27

19.68

22.84

26.90

22.17

12.75

20.86

28.68

12.81

19.39

23.93

22.81

20.80

21.93

18.09

12.12

16.21

19.91

23.78

17.89

29.53

92

18

1

56

19

36

60

98

84

70

48

20

52

105

59

12

104

72

39

49

61

54

80

106

88

65

42

82

11

19.30

84.21

99.12

50.88

83.33

68.42

47.37

14.04

26.32

38.60

57.89

82.46

54.39

7.89

48.25

89.47

8.77

36.84

65.79

57.02

46.49

52.63

29.82

7.02

22.81

42.98

63.16

28.07

90.35

ΑL

ΑL

AL

ΑL

ΑL

ΑL

AL

AL

AL

AL

AL

AL

ΑL

ΑL

ΑL

ΑL

ΑL

AL

AL

ΑL

ΑL

ΑL

AL

ΑL

AL

AL

1947

1948

1949

1950

1951

1952

1953

1954

1955

1956

1957

1958

1959

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1970

1971

1972

1973

1974

1975

630.63

604.39

867.06

516.12

474.63

464.75

505.79

366.82

375.88

381.32

472.42

596.05

430.31

541.65

658.33

671.92

402.05

648.36

543.04

467.00

402.21

505.28

428.60

465.63

606.56

516.05

813.86

673.48

805.35

24.83

23.79

34.14

20.32

18.69

18.30

19.91

14.44

14.80

15.01

18.60

23.47

16.94

21.32

25.92

26.45

15.83

25.53

21.38

18.39

15.83

19.89

16.87

18.33

23.88

20.32

32.04

26.51

31.71

34

41

2

62

73

78

64

97

95

93

74

44

58

24

22

90

29

57

76

89

67

86

77

40

63

3

21

5

70.18

64.04

98.25

45.61

35.96

31.58

43.86

14.91

16.67

18.42

35.09

61.40

25.44

49.12

78.95

80.70

21.05

74.56

50.00

33.33

21.93

41.23

24.56

32.46

64.91

44.74

97.37

81.58

95.61

AL	1978
AL	1979
AL	1980
AL	198
AL	1982
AL	1983
AL	1984
AL	1985
AL	1986
AL	1987
AL	1988
AL	1989
AL	1990
AL	199
AL	1992
AL	1993
AL	1994
AL	1995
AL	1996
AL	1997
AL	1998
AL	1999
AL	2000
AL	200
AL	2002
AL	2003
AL	2004
AL	200
AL	201

AL	1978	619.38
ΔL	1979	720.88
ΔL	1980	785.93
ΔL	1981	330.08
ΔL	1982	500.94
ΔL	1983	793.52
AL	1984	647.15
AL	1985	377.10
AL	1986	295.69
AL	1987	496.41
AL	1988	283.96
AL	1989	644.66
ΔL	1990	796.84
ΔL	1991	654.53
ΔL	1992	446.34
ΔL	1993	622.72
AL	1994	587.15
AL	1995	504.02
AL	1996	724.83
AL	1997	642.24
ΔL	1998	716.65
ΔL	1999	455.75
ΔL	2000	259.31
AL	2001	505.46
AL	2002	397.26
AL	2003	809.95
AL	2004	462.83
AL	2005	718.97
AL	2006	352.73
AL	2007	255.16
AL	2008	293.46
AL	2009	586.23
AL	2010	759.28
AL	2011	368.52
AL	2012	346.42
AL	2013	618.12

1975

1976

1977

ΑL

805.35

714.19

573.05

31.71

28.12

22.56

24.38

28.38

30.94

5

17

51

37

14

8

103

95.61

85.09

55.26

67.54

87.72

92.98

9.65

39.47

93.86

73.68

17.54

6.14

37.72

4.39

72.81

94.74

76.32

27.19

69.30

59.65

40.35

88.60

71.93

85.96

28.95

2.63

42.11

20.18

96.49

30.70

86.84

12.28

1.75

5.26

58.77

92.11


15.79


11.40

66.67

38

1981	330.08	13.00
1982	500.94	19.72
1983	793.52	31.24
1984	647.15	25.48
1985	377.10	14.85
1986	295.69	11.64
1987	496.41	19.54
1988	283.96	11.18
1989	644.66	25.38
1990	796.84	31.37
1991	654.53	25.77
1992	446.34	17.57
1993	622.72	24.52
1994	587.15	23.12
	504.02	19.84
1995	501.02	
1995 1996	724.83	28.54
		28.54 25.28
1996	724.83	
1996 1997	724.83 642.24	25.28
1996 1997 1998	724.83 642.24 716.65	25.28 28.21
1996 1997 1998 1999	724.83 642.24 716.65 455.75	25.28 28.21 17.94
1996 1997 1998 1999 2000	724.83 642.24 716.65 455.75 259.31	25.28 28.21 17.94 10.21
1996 1997 1998 1999 2000	724.83 642.24 716.65 455.75 259.31 505.46	25.28 28.21 17.94 10.21 19.90
1996 1997 1998 1999 2000 2001 2002	724.83 642.24 716.65 455.75 259.31 505.46 397.26	25.28 28.21 17.94 10.21 19.90 15.64
1996 1997 1998 1999 2000 2001 2002 2003	724.83 642.24 716.65 455.75 259.31 505.46 397.26 809.95	25.28 28.21 17.94 10.21 19.90 15.64 31.89
1996 1997 1998 1999 2000 2001 2002 2003 2004	724.83 642.24 716.65 455.75 259.31 505.46 397.26 809.95 462.83	25.28 28.21 17.94 10.21 19.90 15.64 31.89 18.22
1996 1997 1998 1999 2000 2001 2002 2003 2004	724.83 642.24 716.65 455.75 259.31 505.46 397.26 809.95 462.83 718.97	25.28 28.21 17.94 10.21 19.90 15.64 31.89 18.22 28.31
1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006	724.83 642.24 716.65 455.75 259.31 505.46 397.26 809.95 462.83 718.97	25.28 28.21 17.94 10.21 19.90 15.64 31.89 18.22 28.31 13.89
1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006	724.83 642.24 716.65 455.75 259.31 505.46 809.95 462.83 718.97 352.73 255.16	25.28 28.21 17.94 10.21 19.90 15.64 31.89 18.22 28.31 13.89
1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008	724.83 642.24 716.65 455.75 259.31 505.46 397.26 809.95 462.83 718.97 352.73 255.16	25.28 28.21 17.94 10.21 19.90 15.64 31.89 18.22 28.31 13.89 10.05
1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009	724.83 642.24 716.65 455.75 259.31 505.46 397.26 809.95 462.83 718.97 352.73 255.16 293.46 586.23	25.28 28.21 17.94 10.21 19.90 15.64 31.89 18.22 28.31 13.89 10.05 11.55 23.08
1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010	724.83 642.24 716.65 455.75 259.31 505.46 809.95 462.83 718.97 352.73 255.16 293.46 586.23 759.28	25.28 28.21 17.94 10.21 19.90 15.64 31.89 18.22 28.31 13.89 10.05 11.55 23.08 29.89











WaterWatch





Accessibility FOIA Privacy Policies and Notices

U.S. Department of the Interior | U.S. Geological Survey

URL: http://waterwatch.usgs.gov

Page Contact Information: Contact USGS
Page Last Modified: Friday, October 10, 2014

Edit View Favorites Tools Help

Snagit 🖺 🖆





















Raster Hydrograph

USGS WaterWatch Toolkit

Streamflow Conditions Map Builder



This builder is used to customize the streamflow conditions maps in size and color.

State Google Map Builder



A Google Maps version of the streamflow conditions map can be created in users web sites.

Rating Curve Builder



The rating curve builder is used to create a USGS streamflow rating curve. The rating table is from the USGS ratings depot. Field measurements can also be appended to the curve.

Flood Table Builder




This tool summarizes the flood and high flow conditions for a state or a region for a given time period. Tables and Google Maps are used to summarize conditions and to show locations, respectively.

Streamgage Statistics Retrieval Tool



The "streamgage statistics" retrieval tool provides a list of basic summary statistics and duration graph for the selected streamgage, as computed from daily values, for the period of record.

Duration Hydrograph Builder



The builder is used to present a time-history of streamflow for the past two years along with historical streamflow percentiles for individual stream gages.

Streamflow Map Animation Builder



This tool is to create a streamflow map animation for a time period for real-time streamflow and floodand-high flow maps, respectively.

Hydrologic Unit Runoff Maps



Hydrologic unit runoff ar runoff condition maps since 1901 are available

Runoff Hydrograph



Monthly, quarterly, and annual HUC runoff timeseris plots are avialable in a HUC area and a state.

Flood Tracking Chart



A URL is provided to create flood-tracking chart which shows current state, recent peak stage, historical highest peaks, and flood

AHPS River Forecast

AHPS river forcast chart can be assessed by a USGS station number.















Current Streamflow

Flood

Drought

Past Flow/Runoff

Animation Toolkit

Water Year 2013 Water Year 2012

Toolkit (internal)

Water Year 2011 Water Year 2010

Water Year 2009 Water Year 2008

Additional Information

About WaterWatch Water Year 2007

Water Year 2006

USGS WaterWatch Toolkit

Streamflow Conditions Map Builder



This builder is used to customize the streamflow conditions maps in size and color.

State Google Map Builder



A Google Maps version of the streamflow conditions map can be created in users web sites.

Rating Curve Builder



The rating curve builder is used to create a USGS streamflow rating curve. The rating table is from the USGS ratings depot. Field measurements can also be appended to the curve.

Flood Table Builder




This tool summarizes the flood and high flow conditions for a state or a region for a given time period. Tables and Google Maps are used to summarize conditions and to show locations, respectively.

Streamgage Statistics Retrieval Tool



The "streamgage statistics" retrieval tool provides a list of basic summary statistics and duration graph for the selected streamgage, as computed from daily values, for the period of record.

Duration Hydrograph Builder



The builder is used to present a time-history of streamflow for the past two years along with historical streamflow percentiles for individual stream gages.

Streamflow Map Animation Builder



This tool is to create a streamflow map animation for a time period for real-time streamflow and floodand-high flow maps, respectively.

Hydrologic Unit Runoff Maps



Hydrologic unit runoff ar runoff condition maps since 1901 are available

Runoff Hydrograph



Monthly, quarterly, and annual HUC runoff timeseris plots are avialable in a HUC area and a state.

Flood Tracking Chart




A URL is provided to create flood-tracking chart which shows current state, recent peak stage, historical highest peaks, and flood

AHPS River Forecast



AHPS river forcast chart can be assessed by a USGS station number.



File Edit View Favorites Tools Help

X 🕮 Snagit 🗏 🖆



This summary is published as <u>USGS Fact Sheet 2014-3030</u> and can be downloaded as a <u>PDF</u> file

Streamflow of 2013 - Water Year Summary

U.S. Geological Survey Reston, Virginia January 2014

- National Overview
- Regional Patterns
- Seasonal
- Characteristics
- High and Low Flows




Introduction

The maps and graphs in this summary describe streamflow conditions for water-year 2013 (October 1, 2012 to September 30, 2013) in the context of the 84-year period 1930-2013, unless otherwise noted. The illustrations are based on observed data from the U.S. Geological Survey's (USGS) National Streamflow Information Program (http://water.usgs.gov/nsip). The period 1930-2013 was used because prior to 1930, the number of streamgages was too small to provide representative data for computing statistics for most regions of the country.

In the summary, reference is made to the term "runoff," which is the depth to which a river basin, State, or other geographic area would be covered with water if all the streamflow within the area during a specified time period was uniformly distributed upon it. Runoff quantifies the magnitude of water flowing through the Nation's rivers and streams in measurement units that can be compared from one area to another.

Each of the maps and graphs below can be expanded to a larger view by clicking on the image. In all the



File Edit View Favorites Tools Help

× 🖳 Snagit 🗒 🖆

🏠 ▼ 🔝 ▼ 🖃 幈 ▼ <u>P</u>age ▼ <u>S</u>afety ▼ T<u>o</u>ols ▼ 🕡 ▼




This summary is published as USGS Fact Sheet FS-2008-3042 and can be downloaded as a PDF file

Streamflow of 2007 - Water Year Summary

U.S. Geological Survey Reston, Virginia January 2008

- National Overview
- Regional Patterns
- <u>Seasonal</u> Characteristics
- High and Low Flows




Introduction

The maps and graphs appearing in this summary describe streamflow conditions for water-year 2007 (October 1, 2006 to September 30, 2007) in the context of the 78-year period 1930-2007, unless otherwise noted. The illustrations are based on observed data from the U.S. Geological Survey's (USGS) National Streamflow Information Program. The period 1930-2007 was used because prior to 1930, the number of streamgages was too small to provide representative data for computing statistics for most regions of the country.

In the summary, reference is made to the term "runoff," which is the depth to which a river basin, State, or other geographic area would be covered with water if all the streamflow within the area during a single year was uniformly distributed upon it. Runoff quantifies the magnitude of water flowing through the Nation's rivers and streams in measurement units that can be compared from one area to another. The runoff value for a geographic area is computed as the median runoff value for all streamgages in that geographic area. For example, the runoff value for a state is the median for all streamgages in that state, and the median for


WaterAlert




Page Contact Information: <u>Alabama Water Data Support Team</u> Page Last Modified: 2014-10-10 15:19:09 EDT 0.87 0.76 caww02


Accessibility Plug-Ins FOIA Privacy
U.S. Department of the Interior | U.S. Geological Survey
Title: USGS Current Conditions for Alabama
URL: http://waterdata.usgs.gov/al/nwis/uv?

Policies and Notices





<u>File Edit View Favorites Tools Help</u>





≥USGS

Thank you. Your form has been submitted (ID=2CqCR).

A confirmation message has been sent to athclark@usgs.gov.

You must reply to the confirmation message before Sunday, October 12, 2014 2:52:45 PM in order to activate this subscription.

USGS Real-Time Hydrologic Notification System subscription for:

Site number: 02421000 Site name: CATOMA CREEK N

Site name: CATOMA CREEK NEAR MONTGOMERY AL

Notification Method (e): email message to athclark@usgs.gov

Parameter Code: 00065 (DD 2)


Parameter Name: Gage height (ft)


Notification interval: Daily Threshold condition: value > 15


Check your "Spam" mail folder if you don't receive a confirmation email from the USGS within a few minutes

Please add WaterAlert@usgs.gov to your Contacts list to help prevent alerts from going to your Spam folder.











Today 8:10 AM


02421000

02421000 07:00CDT CATOMA CREEK NEAR MONTGOMERY AL

flow = 380 cfsstage = 3.90 ft








FAO

User Guide

8



Latitude/Longitude Disclaimer: The gauge locations shown in the above map is the approximate location based on the latitude/longitude coordinates provided to the NWS by the gauge owner.

o Honduras - Map data \$2014 Google, INEGI Terms of Use

Inundation Mapping Locations Austin/San Antonio, TX (EWX)

- ATIT2 Onion Creek at US 183, TX
- BRTT2 Colorado River (TX) at Bastrop, TX
 DLRT2 Rio Grande at Del Rio, TX
- EPPT2 Rio Grande at Eagle Pass, TX
- GETT2 San Gabriel River at Georgetown South Fork, TX LGRT2 - Colorado River (TX) above La Grange, TX
- SEGT2 Guadalupe River at Seguin, TX
- · SELT2 Cibolo Creek at Selma, TX . SMIT2 - Colorado River (TX) near Smithville, TX

Binghamton, NY (BGM)

StormReady / TsunamiReady Skywarn™

Tsunamis

FAQ

Publications.. Contact Us


Comments. USA.gov


Find us on Facebook


NWS on Facebook


Education/Outreach Information Center


- · BAIN6 Susquehanna River at Bainbridge, NY
- · BNGN8 Susquehanna River at Binghamton, NY











Questions

Athena Clark (334) 395-4141 athclark@usgs.gov